

Pearl gloss concentrate for use in e.g. liq. detergent compsns. or shampoos

Patent
Number: DE19511570

Publication
date: 1996-10-02

Inventor(s): KAWA ROLF (DE); ANSMANN ACHIM DR (DE)

Applicant(s): HENKEL KGAA (DE)

Requested
Patent: ☐ DE19511570

Application
Number: DE19951011570 19950329

Priority
Number(s): DE19951011570 19950329

IPC
Classification: B01F17/56; C11D1/66; C11D3/20; C11D3/32; A61K7/075; A61K7/50; A61K7/08;
C11D3/34; C11D9/26; C11D9/30; A61K7/08; B01F17/02; B01F17/14; B01F17/42;
B01F17/28; B01F17/00; B01F17/10; B01F17/08; B01F17/34; B01F17/18; B01F17/22;
B01F17/30; C07H15/04; C07C69/18; C07C69/28; C07C43/11; C07C43/13; C07C233/18

EC
Classification: A61K7/50K8B, A61K7/48C4K, C07H15/04, C11D1/835, C11D1/86

Equivalents:

Abstract

A pearl gloss concentrate comprises an aq. dispersion comprising (a) 10-40 wt.% of pearl gloss forming components; and (b) 5-55 wt.% of emulsifiers, including alkyl polyglycoside emulsifiers of formula RO-(Z)_x (I) (or addn. prods. of these with 1-10 molecules of ethylene oxide and/or propylene oxide). In (I) R = 6-22C alkyl; Z = a mono- or oligosaccharide; and x = 1.1-5. Pref. the concentrate comprises, as components which form the pearl gloss, (i) esters of formula R<1>-(OC_nH_{2n})_n-OR<2> (in which R<1> is a linear 14-22C fatty acyl gp., R<2> is H or a gp. R<1>, n is 2 or 3 and x is 1-4), (ii) monoalkanolamides of formula R<3>-CO-NH-X (in which R<3> is 8-22C alkyl and X is CH₂CH₂OH or CH₂CH₂CH₂OH or CMe₂-OH), (iii) linear, satd 14-22C fatty acids and/or (iv) (12-22C fatty acid mono-, di- or triglycerides. These components esp. comprise at least 50 (most esp. at least 700 wt.% of ethylene glycol distearate.

Data supplied from the esp@cenet database - I2